# On-premise data centers do not need to be legacy

Fabio Alessandro "Fale" Locati EMEA Associate Principal Specialist Solutions Architect



#### TOC

- What is cloud
- Lessons we can learn
- Technologies considerations and bets
- Conclusions
- Q&A



#### About me

#### Info

- GNU/Linux user since 2001
- Working with GNU/Linux since 2004
- Working with Cloud platforms since 2009
- Certified AWS and Google Cloud Architect
- Currently working for Red Hat



## What is cloud



#### What is cloud?

Cloud computing is the on-demand availability of computer system resources, especially data storage (cloud storage) and computing power, without direct active management by the user. (Wikipedia) Cloud computing is the on-demand availability of computer system resources, especially data storage (cloud storage) and computing power, without direct active management by the user. (Wikipedia) A business model where one party rents to a second party computer system resources, especially data storage (cloud storage) and computing power, with the smallest granularity possible.

- Time: month -> hour -> minute -> second -> millisecond
- Compute: CPU -> Core -> vCore -> fractional vCPU



## Lessons we can learn



#### Separation of concerns

- Standardize the interface between infrastructure and workload
- Scalability at workload level
- Workload have an abstract concept of the physical architecture



#### Functional business model

- Standardize the interface between infrastructure and workload
- Bill back infrastructure costs to the workloads owners
- Keep the costs down



#### Maintain control

- Do not use third-party proprietary software
- Evaluate buy vs build decisions preferring the latter
- Be aware of lock-ins
  Product between the **probability** that a component will require substitution during the solution life and the **total costs** in case of substitution.



## Technologies considerations and bets



#### **KISS**

- Reduce the complexity of your system to a minimum
- Prefer build-time complexity over run-time complexity
- Minimize the amount of services available



#### Containers

- Use a Kubernetes distribution
  - DIY/Community
  - Commercial
    - Fully open source
    - Trustworthy company
    - Long track record
    - Heavily involved in upstream development



#### **Automation**

- Use an immutable approach to infrastructure
- Version the infrastructure (eg: gitops)
- Automate the whole process



### **Conclusions**



#### Putting all together

- Infrastructure
- API
- Workloads



#### Putting it all together - Infrastructure

- Create/Architect for multiple DataCenters (and multiple clusters) but hide them from the workload developer
- Deploy Kubernetes container platform clusters on bare-metal
- Use a tool to manage and abstract the clusters (eg: Open Cluster Management)
- Automate all the infrastracture pieces and configuration



#### Putting it all together - API

- Define discrete "regions" based on legal frameworks (eg: eu, us)
- Standardize the Kubernetes APIs as the only interfaces between infrastructure and workload
- Start providing only: OCI registry, Object Storage, and a very limited subset of Kubernetes objects (eg: Pods, Deployments, Stateful SetsServices, PV, PVC, ConfigMaps, Secrets)
- Provide more services once you have a good strategy to support them and many of your users are already using the technology (eg: Databases)



#### Putting it all together - Workloads

- Create a simple UX to submit the creation/update/deletion of workloads objects
- Store workloads objects in a versioned storage (eg: git) and automate deployment
- Require (opt-out?) applications resilient to restarts, replications, etc.



## Q&A



## Thank you

Red Hat is the world's leading provider of enterprise open source software solutions. Award-winning support, training, and consulting services make Red Hat a trusted adviser to the Fortune 500.

- n linkedin.com/company/red-hat
- youtube.com/user/RedHatVideos
- facebook.com/redhatinc
- twitter.com/RedHat

